

## LS 2000/BMXC/ID Pro Portable Printer Material Charts

Type	Max. Service Temp. °C	Colour	Finish	Use	Special Properties
<b>Nylon Cloth</b>					
B-499	90	White	Matt	Low profile through-conduit wire marker	Low-profile; permanent adhesive
<b>Paper</b>					
B-122	90	White	Matt	General labelling	Destroys on removal
<b>Polyester</b>					
B-619	145	White	Matt	Bar code labels	Solvent and heat resistant
B-620	120	White	Matt	Tag for outdoor or harsh environments	Solvent, heat, abrasion resistant
B-621	120	Clear	Matt	Computer-printable overlamine	Transparent write-on coating
B-969	155	Silver	Matt	Metallised permanent label	Print receptive
<b>Polymide</b>					
B-652	300 (5 min)	Amber	Matt	Top- or bottom-side board application for SMT or Through hole	Withstands extremely high temperatures
<b>Polyolefin</b>					
B-319	130	White	Matt	Sleeve markers	Permanent, non-shrinkable
B-321	120	White/Yellow	Matt	Sleeve markers	Permanent, shrinkable
B-322	120	White/Yellow	Matt	Sleeve markers	Permanent, shrinkable; self-extinguishing
B-330	110	White	Matt	Bundle, conduit and cable marking	Permanent, shrinkable; heat-activated adhesive
B-341	130	White	Matt	Wire marking	2-to 1- shrink ratio; self-extinguishing sleeve, meets the material and physical property of AMS-DTL-23053/5 class 1, SAE AS81531, MIL-STD202 method 215 and UL224
B-342	130	White/Yellow	Matt	Wire marking	3-to 1- shrink ratio; self-extinguishing sleeve, meets the material and physical property of AMS-DTL-23053/5 class 1, SAE AS81531, MIL-STD202 method 215 and UL224
<b>Polypropylene</b>					
B-389	100	White	Matt	Wire marking	Printable rigid inserts designed to be printed and affixed to a wire using carriers
<b>Tedlar® Film</b>					
B-632	130	White	Matt	Printable wire-marker	Self-extinguishing, smear-resistant
B-637	130	White/Yellow	Matt	Printable wire-marker	Self-extinguishing
<b>Vinyl</b>					
B-292	70	White	Matt	Wire and cable labels	Heat and solvent resistant; conformable
B-607	70	White	Matt	Non-removable applications	Tamper resistant
<b>Vinyl Cloth</b>					
B-502	80	White	Matt	General marking	Oil, water and humidity resistant; permanent or removable

Tedlar® is a registered trademark of DuPont.



Brady has hundreds of RoHS compliant materials for you to choose from and we are committed to provide you with the latest information. Simply go to [www.weee.rohs.bradyeurope.com](http://www.weee.rohs.bradyeurope.com) for the latest up-date.



### LS2000 Printer Ribbons

Order Reference	Description
R-5200	R-5200 Black Ribbon

### ID Pro Printer Ribbons

Order Reference	Description
R-7300	R-7300 Black Ribbon
R-5300	R-5300 Black Ribbon

## LS 2000/BMXC/ID Pro Label Index by Part Number

Order Reference	Size (mm)	Order Reference	Size (mm)	Order Reference	Size (mm)
CL-105-499	12.70 x 7.00	CL-917-122	38.10 x 31.75	■ PS-0831-375-WT	9.53 x 50.80
CL-105-502	12.70 x 7.00	CL-917-619	38.10 x 31.75	■ PS-1031-500-WT	12.70 x 50.80
CL-105-607	12.70 x 7.00	CL-917-637	38.10 x 31.75	■ PS-2231-1000-WT	25.40 x 50.80
CL-105-619	12.70 x 7.00	CL-917-969	38.10 x 31.75	■ PS-0231-094-YL	2.39 x 50.80
CL-105-621	12.70 x 7.00	CL-0309-502	16.51 x 40.75	■ PS-0231-125-YL	3.18 x 50.80
CL-105-652	12.70 x 7.00	■ CL-0309-619	16.51 x 40.75	■ PS-0331-187-YL	4.75 x 50.80
CL-105-969	12.70 x 7.00	CL-0309-652	16.51 x 40.75	■ PS-0531-250-YL	6.50 x 50.80
CL-111-122	25.40 x 7.00	■ CL-0311-619	20.32 x 5.08	■ PS-0831-375-YL	9.53 x 50.80
CL-111-499	25.40 x 7.00	■ CL-0311-652	20.32 x 5.08	■ PS-1031-500-YL	12.70 x 50.80
CL-111-502	25.40 x 7.00	■ CL-0411-502	19.05 x 6.35	■ PS-2231-1000-YL	25.40 x 50.80
CL-111-607	25.40 x 7.00	■ CL-0411-619	19.05 x 6.35	▲ PSBXP-111-125	3.18 x 25.40
CL-111-619	25.40 x 7.00	■ CL-0411-652	19.05 x 6.35	▲ PSBXP-111-187	4.75 x 25.40
CL-111-619-BK	28.70 x 12.70	■ CL-0411-969	19.05 x 6.35	▲ PSBXP-114-125	3.18 x 31.75
- incl. 1.57 mm in Black Border		■ CL-0413-619	22.86 x 6.35	▲ PSBXP-114-187	4.75 x 31.75
CL-111-621	25.40 x 7.00	■ CL-0413-652	22.86 x 6.35	▲ PSBXP-211-250	6.35 x 25.40
CL-111-637	25.40 x 7.00	■ CL-0423-619	38.10 x 6.35	▲ PSBXP-214-250	6.35 x 31.75
CL-111-652	25.40 x 7.00	■ CL-0423-652	38.10 x 6.35	▲ PSBXP-311-375	9.53 x 25.40
CL-111-969	25.40 x 7.00	■ CL-0431-502	50.80 x 6.35	▲ PSBXP-314-375	9.53 x 31.75
CL-111-969-BK	28.70 x 12.70	■ CL-0431-619	50.80 x 6.35	▲ PSBXP-411-500	12.70 x 25.40
- incl. 1.57 mm in Black Border		■ CL-0431-652	50.80 x 6.35	▲ PSBXP-414-500	12.70 x 31.75
CL-117-499	38.10 x 7.00	■ CL-0431-969	50.80 x 6.35	PSIDP-111-125	3.18 x 25.40
CL-117-502	38.10 x 7.00	■ CL-0619-502	31.75 x 9.53	PSIDP-111-187	4.75 x 25.40
CL-117-619	38.10 x 7.00	■ CL-0619-619	31.75 x 9.53	PSIDP-211-250	6.35 x 25.40
CL-117-621	38.10 x 7.00	■ CL-0619-969	31.75 x 9.53	PSIDP-311-375	9.53 x 25.40
CL-117-637	38.10 x 7.00	■ CL-0807-619	12.70 x 12.70	PSIDP-411-500	12.70 x 25.40
CL-117-652	38.10 x 7.00	■ CL-1429-619-BK	50.80 x 25.40	PSIDP-111-125-YL	3.18 x 25.40
CL-117-969	38.10 x 7.00	- incl. 1.57 mm in Black Border		PSIDP-111-187-YL	4.75 x 25.40
CL-211-499	25.40 x 10.16	■ CL-1429-969-BK	50.80 x 25.40	PSIDP-211-250-YL	6.35 x 25.40
CL-211-502	25.40 x 10.16	- incl. 1.57 mm in Black Border		PSIDP-311-375-YL	9.53 x 25.40
CL-211-619	25.40 x 10.16	■ CL-1631-502	50.80 x 25.40	PSIDP-411-500-YL	12.70 x 25.40
CL-211-621	25.40 x 10.16	■ CL-1631-619	50.80 x 25.40	■ PSL-1833-619-BK	57.15 x 31.75
CL-211-637	25.40 x 10.16	■ CL-2439-619	63.50 x 38.10	- incl. 1.57 mm in Black Border	
CL-211-652	25.40 x 10.16	■ CL-2439-969	63.50 x 38.10	■ PSL-1833-969-BK	57.15 x 31.75
CL-217-619	25.40 x 10.16	CLWO-217-3	38.10 x 19.05	- incl. 1.57 mm in Black Border	
CL-217-969	25.40 x 10.16	CLWO-217-6	38.10 x 12.70	PSL-311-122	25.40 x 12.70
CL-305-502	12.70 x 12.70	CLWO-217-607	41.40 x 19.05	PSL-311-619	25.40 x 12.70
CL-305-607	12.70 x 12.70	CLWO-217-7	38.10 x 12.70	PSL-311-969	25.40 x 12.70
CL-305-619	12.70 x 12.70	CLWO-317-2	38.10 x 12.70	■ PSL-514-619	31.75 x 19.05
CL-305-652	12.70 x 12.70	CLWO-317-4	38.10 x 12.70	■ PSL-514-969	31.75 x 19.05
CL-305-969	12.70 x 12.70	CLWO-317-5	38.10 x 12.70	■ TB03-502-281	7.14 x 9.14 m
CL-311-122	25.40 x 12.70	■ DM-105-389	12.70 x 3.93	■ TB03-502-312	7.92 x 9.14 m
CL-311-499	25.40 x 12.70	■ DM-105-389-YL	12.70 x 3.93	■ TB05-502-375	9.53 x 9.14 m
CL-311-502	25.40 x 12.70	■ DM-111-389	25.40 x 3.93	WML-117-502-PF	38.10 x 7.00
CL-311-607	25.40 x 12.70	■ DM-111-389-YL	25.40 x 3.93	▲ WML-202-292-4S	6.35 x 19.05
CL-311-619	25.40 x 12.70	● DMIDP-105-389	12.70 x 3.93	- 4 Across	
CL-311-621	25.40 x 12.70	● DMIDP-105-389-YL	12.70 x 3.93	WML-205-292-1	12.70 x 25.40
CL-311-637	25.40 x 12.70	● DMIDP-111-389	25.40 x 3.93	WML-205-292-2S	12.70 x 19.05
CL-311-652	25.40 x 12.70	● DMIDP-111-389-YL	25.40 x 3.93	- 2 Across	
CL-311-969	25.40 x 12.70	▲ ECL-107-502	17.02 x 5.72	WML-205-292-75	12.70 x 19.05
CL-317-122	38.10 x 12.70	▲ ECL-107-619	17.02 x 5.72	WML-211-292-75	25.40 x 19.05
CL-317-499	38.10 x 12.70	▲ ECL-107-652	17.02 x 5.72	WML-211-292-75-BL	25.40 x 19.05
CL-317-502	38.10 x 12.70	▲ ECL-111-502	25.40 x 5.72	WML-211-292-75-BR	25.40 x 19.05
CL-317-619	38.10 x 12.70	▲ ECL-111-619	25.40 x 5.72	WML-211-292-75-GR	25.40 x 19.05
CL-317-619-BK	41.45 x 19.05	▲ ECL-111-652	25.40 x 5.72	WML-211-292-75-GY	25.40 x 19.05
- incl. 1.57 mm in Black Border		▲ ECL-204-619	10.67 x 8.89	WML-211-292-75-OR	25.40 x 19.05
CL-317-637	38.10 x 12.70	▲ ECL-204-652	10.67 x 8.89	WML-211-292-75-PL	25.40 x 19.05
CL-317-969-BK	41.45 x 19.05	▲ ECL-211-502	25.40 x 8.89	WML-211-292-75-RD	25.40 x 19.05
- incl. 1.57 mm in Black Border		▲ ECL-211-619	25.40 x 8.89	WML-211-292-75-YL	25.40 x 19.05
CL-511-122	25.40 x 19.50	▲ ECL-311-502	25.40 x 12.07	▲ WML-302-292-4S	6.35 x 31.75
CL-517-122	38.10 x 19.50	▲ ECL-311-619	25.40 x 12.07	- 4 Across	
CL-517-619	38.10 x 19.50	■ PS-0231-094-WT	2.39 x 50.80	▲ WML-305-292	12.70 x 31.75
CL-517-621	38.10 x 19.50	■ PS-0231-125-WT	3.18 x 50.80		
CL-517-637	38.10 x 19.50	■ PS-0331-187-WT	4.75 x 50.80		
CL-517-969	38.10 x 19.50	■ PS-0531-250-WT	6.35 x 50.80		

Which product for which printer :

■ = LS2000    ▲ = LS2000+ BMXC    ● = IDPro

Part numbers with no sign can be used for all printers LS2000, BMXC, IDPro

## LS 2000/BMXC/ID Pro Label Index by Part Number

Order Reference	Size (mm)	Order Reference	Size (mm)	Order Reference	Size (mm)
▲ WML-305-292-2S	12.70 x 31.75 - 2 Across	WML-517-292-OR	38.10 x 63.50	■ WML-1231-292-22	50.80 x 57.15
▲ WML-305-499	12.70 x 12.70	WML-517-292-PL	38.10 x 63.50	■ WML-1231-292-30	50.80 x 76.20
▲ WML-305-502	12.70 x 12.70	WML-517-292-RD	38.10 x 63.50	■ WML-2411-502	20.32 x 38.10
▲ WML-305-632	12.70 x 12.70	WML-517-292-YL	38.10 x 63.50	■ WML-2431-292-60	50.80 x 152.40
▲ WML-308-292-2S	19.05 x 31.75 - 2 Across	WML-517-499	38.10 x 19.05	■ WML-2431-292-60-BL	50.80 x 152.40
▲ WML-311-292	25.40 x 31.75	WML-517-502	38.10 x 19.05	■ WML-2431-292-75	50.80 x 190.50
▲ WML-311-292-BL	25.40 x 31.75	WML-705-499	12.70 x 25.40	WMS-105-319	12.70 x 8.90
▲ WML-311-292-BR	25.40 x 31.75	WML-705-502	12.70 x 25.40	WMS-105-321	12.70 x 8.90
▲ WML-311-292-GR	25.40 x 31.75	WML-705-632	12.70 x 25.40	WMS-105-322	12.70 x 8.90
▲ WML-311-292-GY	25.40 x 31.75	WML-711-292	25.40 x 101.60	WMS-111-319	25.40 x 8.90
▲ WML-311-292-OR	25.40 x 31.75	WML-711-499	25.40 x 25.40	WMS-111-321	25.40 x 8.90
▲ WML-311-292-PL	25.40 x 31.75	WML-711-502	25.40 x 25.40	WMS-111-322	25.40 x 8.90
▲ WML-311-292-RD	25.40 x 31.75	WML-711-632	25.40 x 25.40	WMS-117-319	38.10 x 8.90
▲ WML-311-292-YL	25.40 x 31.75	WML-717-292	38.10 x 101.60	WMS-117-321	38.10 x 8.90
WML-317-292	38.10 x 31.75	WML-717-292-BL	38.10 x 101.60	WMS-117-322	38.10 x 8.90
▲ WML-502-502-2S	6.35 x 19.05 - 2 Across	WML-717-292-BR	38.10 x 101.60	WMS-205-319	12.70 x 12.70
▲ WML-502-502-4S	6.35 x 19.05 - 4 Across	WML-717-292-GR	38.10 x 101.60	WMS-205-321	12.70 x 12.70
WML-505-499	12.70 x 19.05	WML-717-292-GY	38.10 x 101.60	WMS-205-322	12.70 x 12.70
WML-505-499-2S	12.70 x 19.05 - 2 Across	WML-717-292-OR	38.10 x 101.60	WMS-211-319	25.40 x 12.70
WML-505-502	12.70 x 19.05	WML-717-292-PL	38.10 x 101.60	WMS-211-321	25.40 x 12.70
WML-505-502-2S	12.70 x 19.05 - 2 Across	WML-717-292-RD	38.10 x 101.60	WMS-211-322	25.40 x 12.70
WML-505-632	12.70 x 19.05	WML-717-292-YL	38.10 x 101.60	WMS-217-319	25.40 x 12.70
WML-508-502-2S	19.05 x 19.05 - 2 Across	▲ WML-902-502-2S	6.35 x 31.75 - 2 Across	WMS-217-321	25.40 x 12.70
WML-511-292	25.40 x 63.50	▲ WML-902-502-4S	6.35 x 31.75 - 4 Across	WMS-217-322	38.10 x 12.70
WML-511-292-YL	25.40 x 63.50	WML-905-499	12.70 x 31.75	WMS-411-319	25.40 x 19.05
WML-511-499	25.40 x 19.05	WML-905-499-2S	12.70 x 31.75 - 2 Across	WMS-411-321	25.40 x 19.05
WML-511-502	25.40 x 19.05	WML-905-502	12.70 x 31.75	WMS-411-322	25.40 x 19.05
WML-511-632	25.40 x 19.05	WML-905-502-2S	12.70 x 31.75 - 2 Across	WMS-417-319	38.10 x 25.40
WML-517-292	38.10 x 63.50	WML-905-632	12.70 x 31.75	WMS-417-321	38.10 x 25.40
WML-517-292-BL	38.10 x 63.50	WML-911-499	25.40 x 31.75	WMS-417-322	38.10 x 25.40
WML-517-292-BR	38.10 x 63.50	WML-911-502	25.40 x 31.75	WMS-611-319	25.40 x 25.40
WML-517-292-GR	38.10 x 63.50	WML-911-632	25.40 x 31.75	WMS-611-321	25.40 x 25.40
WML-517-292-GY	38.10 x 63.50	WML-917-499	38.10 x 31.75	WMS-611-322	25.40 x 25.40
		WML-917-502	38.10 x 31.75	WMS-617-319	38.10 x 25.40
		■ WML-0811-292	20.32 x 38.10	WMS-617-321	38.10 x 25.40
		■ WML-1215-292	25.40 x 57.15	WMS-617-322	38.10 x 25.40
				▲ WRCM-711-637-YL	25.40 x 15.24 m
				▲ WRCM-717-637-YL	38.10 x 15.24 m

Which product for which printer :

■ = LS2000    ▲ = LS2000+ BMXC    ● = IDPro

Part numbers with no sign can be used for all printers LS2000, BMXC, IDPro

Please visit our website, for a full list of available parts for the LS2000, ID Pro and BMXC printers